

CORPES. CONTROL
OUT QING LTR NO.

DOE ORDER # 4700.1
94 RF 07294

EG&G ROCKY FLATS

3D301

DIST.	ltr	ENC
AMARAL, M.E.		
BURLINGAME, A.H.		
BUSBY, W.S.		
BRANCH, D.B.		
CARNIVAL, G.J.		
DAVIS, J.G.		
FERRERA, D.W.		
FRAY, R.E.		
GEIS, J.A.		
GLOVER, W.S.		
GOLAN, P.M.		
HANNI, B.J.		
HARMAN, L.K.		
HEALY, T.J.		
HEDAH, T.		
HILBIG, J.G.		
HUTCHINS, N. M.		
JACKSON, D.T.		
KELL, R.E.		
KUESTER, A.W.		
MARX, G.E.		
MCDONALD, M.M.		
MCKENNA, F.G.		
MONTROSE, J.K.		
MORGAN, R.V.		
POTTER, G.L.		
PIZUTTO, G.L.		
RISING, T.L.		
SANDLIN, N.B.		
SCHWARTZ, J.K.		
SETLOCK, G.H.		
STEWART, D.L.		
STIGER, S.G.		
TOBIN, P.M.		
VOORHEIS, G.M.		
WILSON, J.M.		
Anderson, G.A.	X	
Peterman, B. D.	X	
McNALLY, C.	X	
Smith, S.B.	X	
Fuller, W.A.	X	
McHugh, M.F.	X	
CORRESPONDENCE	X	X
ADMIN RECORD/080	X	X
TRAFFIC		
PATS/T130G		
CLASSIFICATION:		
UCNI		
UNCLASSIFIED		
CONFIDENTIAL		
SECRET		

DOCUMENT CLASSIFICATION
CLASSIFICATION OFFICE

DATE
IN REPLY TO RFP CC NO:
NA

ACTION ITEM STATUS
☐ OPEN ☐ CLOSED
☐ PARTIAL

LTR APPROVALS:

ORIG & TYPIST INITIALS
alk

RF-46489 (Rev. 07/94)

EG&G ROCKY FLATS, INC.
ROCKY FLATS PLANT, P.O. BOX 464, GOLDEN, COLORADO 80402-0464 • (303) 966-7000

July 11, 1994

R. Sarter
Project Manager
Environmental Restoration
DOE/RFPO



000035490

94-RF-07294

FOLLOW UP ON CONCURRENCE FOR POLYCHLORINATED BIPHENYL SAMPLING
IN INDIVIDUAL HAZARDOUS SUBSTANCE SITE 116.1 - SBS-005-94

Ref: (a) S. B. Smith ltr, SBS-004-94, to S. Slaten Sampling for Polychlorinated Biphenyls
in Individual Hazardous Substance Site 116.1, May 27, 1994

Action: Signature required on concurrence below.

Individual Hazardous Substance Site 116.1 has been determined to be in an area where
there is possible Polychlorinated Biphenyl (PCB) contamination from a previous transformer
leak. The approved Operable Unit (OU) 12 Resource Conservation & Recovery Act Facility
Investigation/Remedial Investigation Phase I Work Plan currently does not include PCBs as
an analyte in Individual Hazardous Substance Site 116.1

It is the position of EG&G Rocky Flats, Inc. and the Industrial Area Closures/D & D Team that
adding PCBs to the analyte list for those samples in the area of concern would be prudent.
The costs incurred would be \$150 per sample and should not exceed a total of \$1,650.

Verbal approval to add these analytes was given by S. Slaten, your predecessor, on
May 26, 1994. Attached please find the reference (a) asking for written concurrence from
S. Slaten, regarding this matter. The letter explains in detail why this addition is necessary
and also includes maps of the sampling area. To date, EG&G Rocky Flats has not received
written concurrence from the Department of Energy/Rocky Flats Field Office (DOE/RFPO).
Therefore, written concurrence from DOE/RFPO to add PCBs to these samples is requested.
Please sign the concurrence line below and return a copy to me. A timely response by
July 22, 1994 would be appreciated.

If there are any questions regarding this transmittal, please contact me at extension 8670 or
digital page 4619.

CONCURRENCE:

R. Sarter
Project Manager

Suzanne Bernaux Smith
S. B. Smith

Project Manager-OU 12
Industrial Area OUs/D & D Team

Orig. and 1 cc - R. Sarter

SBS:alk

Attachment:

As Stated



A-OU12-000149

1/5